

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Flash Aluminum Spray Cab Cleaner  
Description: Powder Cleaner  
Product Code: 50 ntp FASSC  
Suggested Use: Parts Cleaner  
Restrictions on Use: N/A

Supplier: NuTech Specialties, Inc.  
9811 South 6150 West  
West Jordan, UT 84081  
Telephone: 801-253-1000 (M-F) 8:00-5:00  
Fax: 801-280-0307  
Emergency Phone: 800-633-8253

## 2. HAZARDS IDENTIFICATION

### Classification:

GHS Classification: Acute Toxicity 4  
Skin Corrosion 4  
Eye Damage 1

### GHS Label Elements

Pictogram:




Signal Word: Danger  
Hazard Statements: H302 Harmful if Swallowed  
H318 Causes Serious Eye Damage  
H315 Causes Skin Irritation  
Precautionary Statements: P301, P331 If SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303, P353 IF ON SKIN OR ON HAIR: Remove/Take off immediately all contaminated clothing. Rinse SKIN with water/shower  
P338 Remove contact lenses, if present and easy to do. Continue rinsing  
HMIS Classification:

Health	3
Fire	0
Reactivity	0
Personal Protection	C

Product: Flash Aluminum Spray Cab Cleaner

NFPA Rating:



Potential Health Effects: N/A

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS#</u>	<u>Concentration</u>
Disodium trisilicon heptaoxide	7732-18-5	<30%

Synonyms:

### 4. FIRST AID MEASURES

If Inhaled:	P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing (pg. 14)
Skin Contact:	P302, P352 IF ON SKIN (or hair) Wash with plenty of soap and water.
Eye Contact:	P338 Remove contact lenses, if present and easy to do. Continue rinsing P351, P305 IF IN EYES: Wash cautiously with water for several minutes (Pg. 15)
If Ingested:	P330 Rinse Mouth P331 Do NOT induce vomiting

### 5. FIREFIGHTING MEASURES

Extinguishing Media:	Use water-spray, alcohol resistant foam, dry chemical, or carbon dioxide
Hazardous Combustion Products:	Firefighting personnel should respond with appropriate protective clothing, firefighting gear, and breathing equipment as trained.

Product: Flash Aluminum Spray Cab Cleaner

Special Protective Equipment for Firefighters:

In fire conditions: a complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protective equipment. Always ensure adequate ventilation.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Prevent from entering drains and waterways. Discharge into environment must be avoided.

Containment and Clean Up: Soak up with inert absorbent material and dispose of. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

Safe Handling: Keep away from flames and hot surfaces. Use personal protective equipment. Always ensure adequate ventilation.

Safe Storage: Keep containers tightly closed in a dry well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Limits

Component	CAS Number	Exposure Limit	Basis
Disodium trisilicon heptaoxide	7732-18-5	N/A	

General Controls: Always ensure adequate ventilation and that working areas contain safety showers and eye wash stations. Handle material in accordance with good industrial hygiene and safety practices.

### Personal Protective Equipment

Eye Protection: Tightly fitting safety glasses or goggles should be sufficient. Have eye-wash stations available where eye contact can occur.

Hand Protection: Handle with chemical resistant gloves. Gloves must be inspected prior to use. Wash and dry hands after use.

Product: Flash Aluminum Spray Cab Cleaner

Skin Protection: Wear long sleeves, a chemical apron, or other protective clothing to prevent skin contact. Safety showers should be located in work area where skin contact can occur.

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation.

---

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Powder
Color:	White
Odor:	Chemical Odor
Odor Threshold:	N/A
pH:	11
Melting/Freezing Point:	N/A
Boiling Point:	N/A
Flash Point:	N/A
Evaporation Rate:	N/A
Flammability (Solid, Gas):	N/A
Flammability/Explosion Limits:	N/A
Vapor Pressure @ 20°C:	N/A
Vapor Density:	N/A
Specific Gravity:	N/A
Density:	N/A
Solubility in Water:	Complete
Partition Coefficient:	N/A
Auto Ignition Temperature:	N/A
Decomposition Temperature:	N/A
Viscosity @ 40°C:	N/A

---

## **10. STABILITY AND REACTIVITY**

Chemical Stability:	Stable under normal conditions
Conditions and Materials to Avoid:	None
Hazardous Decomposition Products:	Carbon monoxide

---

## **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity

Product: Flash Aluminum Spray Cab Cleaner

Component	CAS Number	Test	Toxicity
Disodium trisilicon heptaoxide	7732-18-5	Oral LD50	1500/600 mg/kg

## Potential Health Effects

Inhalation:	Respiratory irritation
Skin:	Corrosive to Skin
Eyes:	Corrosive to eyes
Ingestion:	Gastrointestinal irritation
Signs and Symptoms of Exposure:	Irritation and burning
Chronic Effects of Long Term Exposure:	N.A
Carcinogenicity:	None

## 12. ECOLOGICAL INFORMATION

### Acute Ecotoxicity

Component	CAS Number	Organism	Ecotoxicity
Disodium trisilicon heptaoxide	7732-18-5		
	77-92-9		

### Ecological Effects

Persistence and Degradability:	Biodegradable
Bioaccumulation Potential:	None
Mobility in Soil:	Soluble
Other Adverse Effects:	None

## 13. DISPOSAL CONSIDERATIONS

Disposal:	Material should be disposed in accordance with all local, state, and federal regulations. Regulations vary by region.
Contaminated Packaging:	Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

### DOT Information

Proper Shipping Name: Not Regulated  
UN Number:  
Hazard Class:  
Packing Group:  
Reportable Quantity (RQ):  
Marine Pollutant:  
Note:

---

## **15. REGULATORY INFORMATION**

### US Federal

SARA 302 Components: None  
SARA 311/312 Hazards: Immediate health hazard  
SARA 313 Components: None  
TSCA Inventory:

### **European Union**

EC Inventory: All components listed or exempted

### **State Regulations**

Utah Clean Air: No  
California Prop 65: No  
C.A.R.B. No

---

## **16. OTHER INFORMATION**

SDS Version: 1.0  
Revision Date: 08/12/2015  
Supercedes: New to GHS

Product: Flash Aluminum Spray Cab Cleaner

**Notice to Reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NuTech Specialites, Inc.

**Validated on: 08/26/2015**