

NuTech Specialties Inc.

SAFETY DATA SHEET

Version: 2.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Leak Detector
Description: Viscous Liquid
Product Code: NTN LD
Suggested Use: Leak Detector
Restrictions on Use: None

Supplier: NuTech Specialties, Inc.
9811 South 6150 West
West Jordan, UT 84081
Telephone: 801-253-1000 (M-F) 8:00-5:00
Fax: 801-280-0307
Emergency Phone: 800-633-8253

2. HAZARDS IDENTIFICATION

Classification:

GHS Classification: Eye irritant 2B


GHS Label Elements

Pictogram:

Signal Word: Warning
Hazard Statements: H320, Causes Eye Irritation

Precautionary Statements: P305, P351, P338, If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HMIS Classification:



Product: Leak Detector

NuTech Specialties Inc.

NFPA Rating:

Health	1
Fire	0
Reactivity	0
Personal Protection	A

Potential Health Effects:

May cause eye irritation, may cause gastric irritation if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS#	Concentration
Sodium Hydroxide	1310-73-2	1-2%
Dodecyl benzene sulfonic acid	68584-22-5	10%

Synonyms:

4. FIRST AID MEASURES

If Inhaled:	Not likely a source of exposure
Skin Contact:	Flush skin with plenty of water. Remove contaminated clothing and shoes. If irritation persists, consult a physician.
Eye Contact:	Flush eyes for 15 minutes with plenty of water for at least 15 minutes. Remove contact lenses if able to do so. Immediately call a doctor or physician.
If Ingested:	Do not induce vomiting unless instructed to do so by physician. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult physician.

5. FIREFIGHTING MEASURES

Extinguishing Media:	Use water-spray, alcohol resistant foam, dry chemical, or carbon dioxide
----------------------	--

Product: Leak Detector

NuTech Specialties Inc.

Hazardous Combustion Products: Firefighting personnel should respond with appropriate protective clothing, firefighting gear, and breathing equipment as trained.

Special Protective Equipment for Firefighters: In fire conditions: a complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protective equipment. Always ensure adequate ventilation.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Prevent from entering drains and waterways. Discharge into environment must be avoided.

Containment and Clean Up: Soak up with inert absorbent material and dispose of. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Safe Handling: Keep away from flames and hot surfaces. Use personal protective equipment. Always ensure adequate ventilation.

Safe Storage: Keep containers tightly closed in a dry well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials. Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Component	CAS Number	Exposure Limit	Basis
-----------	------------	----------------	-------

General Controls: Always ensure adequate ventilation and that working areas contain safety showers and eye wash stations. Handle material in accordance with good industrial hygiene and safety practices.

Personal Protective Equipment

Eye Protection: Tightly fitting safety glasses or goggles should be sufficient. Have eye-wash stations available where eye contact can occur.

Hand Protection: Handle with chemical resistant gloves. Gloves must be inspected prior to use. Wash and dry hands after use.

Product: Leak Detector

NuTech Specialties Inc.

Skin Protection: Wear long sleeves, a chemical apron, or other protective clothing to prevent skin contact. Safety showers should be located in work area where skin contact can occur.

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Red
Odor:	Cherry Fragrance
Odor Threshold:	N/A
pH:	9
Melting/Freezing Point:	32°
Boiling Point:	212°
Flash Point:	None
Evaporation Rate:	N/A
Flammability (Solid, Gas):	Non Flammable
Flammability/Explosion Limits:	None
Vapor Pressure @ 20°C:	N/A
Vapor Density:	N/A
Specific Gravity:	1
Density:	8.34 lbs. per gallon
Solubility in Water:	Complete
Partition Coefficient:	N/A
Auto Ignition Temperature:	N/A
Decomposition Temperature:	N/A
Viscosity @ 40°C:	N/A

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions

Conditions and Materials to Avoid: None

Hazardous Decomposition Products: Oxides of carbon

11. TOXICOLOGICAL INFORMATION

Product: Leak Detector

NuTech Specialties Inc.

Acute Toxicity- Not determined

Component	CAS Number	Test	Toxicity
Dodecyl benzene sulfonic acid	68584-22-5	Oral LD50	1407 mg/l
Sodium Hydroxide	1310-73-2	Oral rat	104-340 mg/kg

Potential Health Effects

Inhalation:	Not likely a route of exposure
Skin:	Mild irritation
Eyes:	Irritant
Ingestion:	GI tract irritation
Signs and Symptoms of Exposure:	Redness of skin or burning of eyes
Chronic Effects of Long Term Exposure:	None
Carcinogenicity:	None

12. ECOLOGICAL INFORMATION

Acute Ecotoxicity

Component	CAS Number	Organism	Ecotoxicity
Dodecyl benzene sulfonic acid	1310-73-2	Fish	240 mg/l

Ecological Effects

Persistence and Degradability:	Biodegradable
Bioaccumulation Potential:	Not likely
Mobility in Soil:	Mobile
Other Adverse Effects:	None

13. DISPOSAL CONSIDERATIONS

Disposal:	Material should be disposed in accordance with all local, state, and federal regulations. Regulations vary by region.
Contaminated Packaging:	Dispose of as unused product.

Product: Leak Detector

NuTech Specialties Inc.

14. TRANSPORT INFORMATION

DOT Information

Proper Shipping Name: No regulated
UN Number:
Hazard Class:
Packing Group:
Reportable Quantity (RQ):
Marine Pollutant:
Note:

15. REGULATORY INFORMATION

US Federal

SARA 302 Components: None
SARA 311/312 Hazards: None
SARA 313 Components: None
TSCA Inventory: Yes

European Union

EC Inventory: Listed or exempted

State Regulations

Utah Clean Air: Yes
California Prop 65: No
C.A.R.B.: Yes

16. OTHER INFORMATION

SDS Version: 2.0
Revision Date: 8/18/2021
Supersedes: Version 1.0 05/05/2015

Product: Leak Detector

NuTech Specialties Inc.

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

NuTech Specialites, Inc.

Validated on:

Product: Leak Detector